

(Sponsored & Controlled by Mahavir Temple Trust, Patna)
Near Chiraitand Over Bridge, Opp. Petrol pump
Kankarbagh, Patna-20

Ph No- 0612- 2384220, 2384222 E-Mail :- mahavirarogya@rediffmail.com

Website:- www.mahavirarogyasansthan.com

(ISO 9001:2015 Certified)

Dr. S. N. P. Sinha

Secretary

Ref:- MAS/ 26 90

Dr. S. C. Mishra, I.A.S. (Rtd.)

Director

Date: 31/12/2020

To,

The President

Heart and Hand for Handicapped PO Box – 520230, Flushing New York – 11352 Phone No. – 1-877-943-2769

Email:- hhhtreasurer@gmail.com, kumar1@aol.com

Sir,

Please find enclosed herewith the summarised Physical and Financial progress report of the amount donated by your esteemed organization for free Eye care of children upto 16 years age. The services were started from 23.10.20

Physical::-

1. Total number of patients examined and refraction done	
2. Total number of refractive error corrected (Optical)	568
3. Total number of reconstructive surgery done	49
	10
(a) Cataract	R
(b) Retina	2
4. All the patients were given free medicines and meal	2
5. The required pathological test were also done free.	

Financial: -

 Total No. of patients examined and Refraction done:- Optical Supply Reconstruction Surgery Other Surgery(Surgery of LID, Retina, Squint) Investigation: - 	Qty 568 49 8 2	Amount₹ 54190 34300 165000 37000
(a). Pathology (b) X Ray		1980 300



(Sponsored & Controlled by Mahavir Temple Trust, Patna)
Near Chiraitand Over Bridge, Opp. Petrol pump
Kankarbagh, Patna-20

Ph No- 0612- 2384220, 2384222 E-Mail :- mahavirarogya@rediffmail.com

Website:- www.mahavirarogyasansthan.com

(ISO 9001:2015 Certified)

Dr. S. N. P. Sinha

Dr. S. C. Mishra, I.A.S. (Rtd.)

Director

Secretary Ref:- MAS/ 26 90

ate: 31/12/9020

6. Misc

17490

7. Equipment Purchase (Operating Microscope)

950000

Total ₹

1260260

(₹ Twelve Lacs sixty thousand two hundred sixty)

Purchase done with approval by Internal Purchase Committee meeting under Chairmanship of Justice Sadanand Mukherjee(Rtd.)

Some photographs are enclosed herewith. The exact photograph of Eye structures could not be obtained as the microscope with camera has been being recently received by Netralaya. It will be sent along with our next report. I am glad to share that the programme is getting popular day by day.

Thanks for your kind support. I hope it will continue in future also.

Thanks & Regards.

Dr. S. C. Mishra, IAS(Rtd.)

Director



































