

**New and Lesser Used Medicines  
for Postpartum Hemorrhage  
(NLUM-PPH) Project**

**Lawrence Tumusiime  
MBChB, MPH, Fellow FETP**



**RCRA Uganda**

*Health. Research. Innovation.*

# Implementation summary

- Conducted a one-day inception meeting, 52 stakeholders
- Conducted a 5-days training of 40 regional trainers
- Conducted a 2-day facility based mentorship at each of the 136 health facilities, mentored 1370 health workers
- Conducted targeted supportive supervision covering 20 health facilities
- 684,300 women received PPH prevention and care services
- 3780 women received HSC or HSC and TXA for PPH prevention and treatment.

# Training model

- Low-dose, high-frequency
- Trainings entailed
  - Classroom: discussion, brainstorming,
  - Practicum: hands on coaching
- Content:
  - National training package
  - EMOTIVE
  - Mama natalie and Bleeding After Birth Curriculum [BABC]

# What worked? What didn't work?

- Success: engagement and involvement of all the relevant stakeholders
  - Ministry of health
  - Regional
  - District
  - Facility levels
- Their buy in provided the project with the necessary conducive environment for implementation and achievement of the desired outcomes.
- Hindrance: Only 3780 doses of heat stable cabetocin were distributed to the region, as a result only 37 health facilities

# Recommendations

- Enhance model trainings
- Adopt low dose high frequency
- Continued roll out of HSC to other regions